

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
1	IS&R	L1	3926	(455/63.1,65,67.13,456.1,456.5,456.6).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:12		
2	IS&R	L2	2352	(342/386,387,450,453,457,458,464).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:14		
3	IS&R	L3	231	(375/342).CCLS.	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:15		
4	BRS	L4	6321	1 or 2 or 3	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:15		
5	BRS	L5	4664	4 and (position or location)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:15		
6	BRS	L6	7605	5 and triangulation	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:17		
7	BRS	L7	104	6 and (fad\$5 or multipath or direct) and (peak or peak-detect\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:18		
8	BRS	L8	48844	"455"/\$ and (position or location)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:19		
9	BRS	L9	30129	"455"/\$ and (position or location).bsum.	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:19		
10	BRS	L10	3569	9 and (triangulation or GPS).bsum.	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:20		

	Type	L #	Hit s	Search Text	DBs	Time Stamp	Co mm en ts t i o n	Err or Def ini t i o n	Err or s
11	BRS	L1 1	71	10 and (fad\$5 or multipath) and (peak or peak-detect\$4) with measur\$6	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:20			
12	BRS	L1 2	89	10 and (fad\$5 or multipath) and (peak or peak-detect\$4) with (measur\$6 or select\$4 or choos\$4 or pick\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:21			
13	BRS	L1 3	131	10 and (fad\$5 or multipath or direct) and (peak or peak- detect\$4) with (measur\$6 or select\$4 or choos\$4 or pick\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:22			
14	BRS	L1 4	80	10 and (fad\$5 or multipath or direct).bsum. and (peak or peak- detect\$4) with (measur\$6 or select\$4 or choos\$4 or pick\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:22			
15	BRS	L1 5	14	10 and (peak or peak- detect\$4) with (select\$4 or choos\$4 or pick\$4).bsum. and (peak or peak- detect\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:24			

	Type	L #	Hit s	Search Text	DBs	Time Stamp	Co mm en ts	or Def ini tio n	Er ro rs
16	BRS	L1 6	9	13 and (peak or peak- detect\$4) with (select\$4 or choos\$4 or pick\$4).bsum. and (peak or peak- detect\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:24			
17	BRS	L1 7	358	"455"/\$ and (fad\$5 or multipath) and (peak or peak- detect\$4).bsum. and (direct or line with sight) and (peak or peak-detect\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:25			
18	BRS	L1 8	68	4 and (fad\$5 or multipath) and (peak or peak- detect\$4).bsum. and (direct or line with sight) and (peak or peak-detect\$4)	US-PGPUB; USPAT; EPO; JPO	2005/ 06/16 16:25			